

# SAFETY COVER MEASURING FORM

## INFORMATION

NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

CONTACT: \_\_\_\_\_

PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_

COVER SPECIFICATIONS:

☐ STANDARD MESH ☐ PROMESH® ☐ HYPERLITE™ ☐ OTHER \_\_\_\_\_

DRAIN TYPE:

☐ KLEEN-SCREEN™ ☐ SURE-FLO™ (FULL LENGTH DRAIN) ☐ PUMP IN LIEU OF DRAIN

COLOR:

☐ BLUE ☐ GREEN ☐ TAN (HYPERLITE, PROMESH, STANDARD MESH) ☐ GRAY (PROMESH & STANDARD MESH)

ANCHORING SYSTEM:

☐ CONCRETE ☐ WOOD DECK ☐ 18" LAWN TUBES ☐ 9" PAVER TUBES DECK MATERIAL: \_\_\_\_\_

## POOL DRAWING

**IMPORTANT! INCLUDE AB LINE IN YOUR SKETCH BELOW.**

**DISTANCE OF POINT A TO POINT B:** \_\_\_\_\_

# MEASURING INSTRUCTIONS

## STEP 1

Sketch the inside dimensions of the pool (see example) on the next page. Include all non-removable details within three (3) feet of the water line, i.e. coping (width), rocks, grab rails, waterfalls, spas, ladders, raised walls, uneven decks, planters, etc. If you are measuring existing anchor points, then place the AB line 3 feet outside the anchor line.

## STEP 2

Using chalk, establish two points A and B (see example). Be sure that A is on the LEFT and B is on the RIGHT while facing the pool. The distance between them should be roughly  $\frac{2}{3}$  the length of the pool. (i.e. if the pool is 30 ft., make A-B line 20 ft. BE SURE TO INDICATE DISTANCE BETWEEN A & B AND SHOW LOCATION ON DRAWING. Make certain that the imaginary line between A and B and any extensions of it are at least three feet from the pools edge.

## STEP 3


Make a chalk mark (number each mark) at roughly three (3) foot intervals around the entire pool. Be certain to number all corners, rail locations (front and back of rails), fill spouts, or other obstructions if they are not removable. Mark all points along spa side and pool side of diving wall. Mark areas at one (1) foot intervals when tight radius, rocks, raised walls, waterfalls, or similar obstructions are encountered. Diagrams with these types of obstructions should be accompanied by a photograph. Include width of spa wall or distance between spa and pool, if separate.

## STEP 4

Attach a tape measure to point A. (Pull tape tightly on each measurement). Now measure distance from point A to point 1, then point A to point 2, and so on. List measurements in corresponding columns on the next page (see example). Move tape to point B, and measure in the same fashion; point B to point 1, and so on. Tape should be level and not angel up or down any elevation.

## STEP 5

Pick two (2) numbered points representing the overall length of the pool at the water line (see example). List this measurement. Do the same for the overall width of the pool. These measurements are crucial as they act as check points to ensure all other measurements are correct.



# MEASURING FORMS

## AB POINTS

## OBSTRUCTIONS

A		B		A		B		A		B	
FT	IN	FT	IN	FT	IN	FT	IN	FT	IN	FT	IN
1				31				61			
2				32				62			
3				33				63			
4				34				64			
5				35				65			
6				36				66			
7				37				67			
8				38				68			
9				39				69			
10				40				70			
11				41				71			
12				42				72			
13				43				73			
14				44				74			
15				45				75			
16				46				76			
17				47				77			
18				48				78			
19				49				79			
20				50				80			
21				51				81			
22				52				82			
23				53				83			
24				54				84			
25				55				85			
26				56				86			
27				57				87			
28				58				88			
29				59				89			
30				60				90			

OBSTRUCTIONS	From Pt	To Pt	And Pt	To Pt	SPECIAL INFORMATION
<input type="checkbox"/> Rock Boulders					<input type="checkbox"/> Up & Over Length: _____ <input type="checkbox"/> Cable
<input type="checkbox"/> Rock Boulders					<input type="checkbox"/> Up & Over Length: _____ <input type="checkbox"/> Cable
<input type="checkbox"/> Gravel/Stone					<input type="checkbox"/> Lawn Tubes <input type="checkbox"/> Paver
<input type="checkbox"/> Waterfall					<input type="checkbox"/> Up & Over Length: _____ <input type="checkbox"/> Cable
<input type="checkbox"/> Grass Area					<input type="checkbox"/> Lawn Tubes <input type="checkbox"/> Paver
<input type="checkbox"/> Planter					<input type="checkbox"/> Lawn Tubes <input type="checkbox"/> Paver
<input type="checkbox"/> Wood Deck					<input type="checkbox"/> Wood Deck Anchors
<input type="checkbox"/> Other _____					<input type="checkbox"/> Up & Over Length: _____ <input type="checkbox"/> Tubes

	From Pt	To Pt	Height	
<input type="checkbox"/> Raised Wall				<input type="checkbox"/> Up & Over Length: _____ <input type="checkbox"/> Cable
<input type="checkbox"/> Raised Spa				<input type="checkbox"/> One Piece <input type="checkbox"/> Separate

## SPECIAL OR EXTRA HARDWARE NEEDED

	Entire Pool	Qt:
<input type="checkbox"/> 2" Brass Anchors		_____
<input type="checkbox"/> Brass Flanges		_____
<input type="checkbox"/> Paver Tubes		_____
<input type="checkbox"/> Lawn Tubes		_____
<input type="checkbox"/> Wood Deck Anchors		_____
<input type="checkbox"/> On-Deck Pool Clamps		_____
<input type="checkbox"/> Standard Installation Rod	One included	_____
<input type="checkbox"/> "Pro 36" Installation Rod	1	_____
<input type="checkbox"/> Standard Springs		_____
<input type="checkbox"/> 5" Springs		_____
<input type="checkbox"/> Commerical Springs (\$) <small>*Standard on ProMesh &amp; HyPerLite Custom Covers</small>		_____
<input type="checkbox"/> Other _____		_____

	From PT	To PT
<input type="checkbox"/> Longer Tails (Standard Length 20") Required Length = _____	Entire Pool	
<input type="checkbox"/> Perimeter Padding Required Length = _____	Entire Pool	

DISTANCE FROM "A" TO "B"		FT	IN

	FT	IN	From PT #	To PT #
Overall Length				
Overall Width				
Optional 2nd Overall Length				
Optional 2nd Overall Width				

Comments / Special Notes: