MEASURING FORM

DISTRIBUTOR INFORMATION	DEALER INFORMATION
COMPANY NAME:	COMPANY NAME:
CITY: STATE: ZIP:	
CONTACT:	CITY: STATE: ZIP:
PHONE: FAX:	CONTACT:
JOB TAG NAME:	PHONE: FAX:

POOL DRAWING						
IMPORTANT! INCLUDE AB LINE IN YOUR SKETCH BELOW.						
DISTANCE OF POINT A TO POINT B:						

MEASURING INSTRUCTIONS

STEP 1

Sketch the inside dimensions of the pool (see example) on the next page. Include all non-removable details within three (3) feet of the water line, i.e. coping (width), rocks, grab rails, waterfalls, spas, ladders, raised walls, uneven decks, planters, etc. If you are measuring existing anchor points, then place the AB line 3 feet outside the anchor line.

STEP 2

Using chalk, establish two points A and B (see example). Be sure that A is on the LEFT and B is on the RIGHT while facing the pool. The distance between them should be roughly 2/3 the length of the pool. (i.e. if the pool is 30 ft., make A-B line 20 ft. BE SURE TO INDICATE DISTANCE BETWEEN A & B AND SHOW LOCATION ON DRAWING. Make certain that the imaginary line between A and B and any extensions of it are at least three feet from the pools edge.

STEP 3


Make a chalk mark (number each mark) at roughly three (3) foot intervals around the entire pool. Be certain to number all corners, rail locations (front and back of rails), fill spouts, or other obstructions if they are not removable. Mark all points along spa side and pool side of diving wall. Mark areas at one (1) foot intervals when tight radius, rocks, raised walls, waterfalls, or similar obstructions are encountered. Diagrams with these types of obstructions should be accompanied by a photograph. Include width of spa wall or distance between spa and pool, if separate.

STEP 4

Attach a tape measure to point A. (Pull tape tightly on each measurement). Now measure distance from point A to point 1, then point A to point 2, and so on. List measurements in corresponding columns on the next page (see example). Move tape to point B, and measure in the same fashion; point B to point 1, and so on. Tape should be level and not angel up or down any elevation.

STEP 5

Pick two (2) numbered points representing the overall length of the pool at the water line (see example). List this measurement. Do the same for the overall width of the pool. These measurements are crucial as they act as check points to ensure all other measurements are correct.



MEASURING FORMS AB POINTS FΤ IN FT IN FΤ FT IN FT IN FT IN FT DISTANCE FROM "A" TO "B"

FT IN

From PT #

From PT #

From PT #

From PT #

TO PT #

TO PT #

TO PT #

TO PT #

Overall Length

Overall Width

Optional 2nd Overall Length

Optional 2nd Overall Width

OBSTRUCTIONS								
From Pt	To Pt	And Pt	To Pt	SPECIA Informa				
				Up & Over				
	l .							

OBSTRUCTIONS	From Pt	To Pt	And Pt	To Pt	SPECIAL INFORMATION
☐ Rock Boulders					Up & Over Cable
☐ Rock Boulders					Up & Over Cable
☐ Gravel/Stone					☐ Lawn Tubes ☐ Paver
☐ Waterfall					Up & Over Cable
☐ Grass Area					☐ Lawn Tubes ☐ Paver
☐ Planter					☐ Lawn Tubes ☐ Paver
☐ Wood Deck					☐ Wood Deck Anchors
□ Other					Up & Over Up Tubes
	From Pt	To Pt	Height		
☐ Raised Wall					Up & Over Cable
☐ Raised Spa					☐ One Piece ☐ Separate



227 Sandy Springs PI | Ste D-500 Sandy Springs, GA 30328 (800) 918-7665

Please note: If matching existing anchors, 2 forms must be completed. One for the pool and one for the anchors.